Regulatory Peptides, 41 (1992) 275–276

© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Author index

Aardal, S. and Helle, K.B., The vasoinhibitory activity of bovine chromogranin A fragment (vasostatin) and its independence of extracellular calcium in isolated segments of human blood vessels, 9

Aitken, A., see Domin, J., 1

Ambühl, P., Felix, D., Imboden, H., Khosla, M.C. and Ferrario, C.M., Effects of angiotensin II and its selective antagonists on inferior olivary neurones, 19

Arahuetes, R.M., see José Garrido, J., 27

Arilla, E., see López-Sañudo, S., 227

Beglinger, C., see Hildebrand, P., 119

Benito-Orfila, M.A., see Domin, J., 1

Bianciotti, L.G., see Vatta, M.S., 171

Bloom, S.R., see Domin, J., 1

Bonga, S.E.W., see Zaccone, G., 195

Borrell, J., see Cambronero, J.C., 237

Borysewicz, R., Ren, K.J., Mokotoff, M. and Lee, P.C., Direct effect of bombesin on pancreatic and gastric growth in suckling rats, 157

Britton, K.T., see Heilig, M., 61

Cai, R.-Z., see Pinski, J., 185

Cambronero, J.C., Rivas, F.J., Borrell, J. and Guaza, C., Adrenalectomy does not change CRF secretion induced by interleukin-1 from rat perifused hypothalami, 237

Canossa, M., see Spampinato, S., 131

Cecconi, R., see Geppetti, P., 83

David Smith, D., see O'Harte, F., 139

De la Fuente, M., see José Garrido, J., 27

Del Bianco, E., see Geppetti, P., 83

Domin, J., Benito-Orfila, M.A., Nandha, K.A., Aitken, A. and Bloom, S.R., The purification and sequence analysis of an avian neuromedin U, 1

Drewe, J., see Hildebrand, P., 119

Eng, J., see Malhotra, R., 149

Erlanson-Albertsson, C., see Mei, J., 209

Fasulo, S., see Zaccone, G., 195

Felix, D., see Ambühl, P., 19

Fernandez, B.E., see Vatta, M.S., 171

Ferrario, C.M., see Ambühl, P., 19

Ferri, S., see Spampinato, S., 131

Flik, G., see Zaccone, G., 195

Geppetti, P., Del Bianco, E., Cecconi, R., Tramontana, M., Romani, A. and Theodorsson, E., Capsaicin releases calcitonin gene-related peptide from the human iris and ciliary body in vitro, 83

Guaza, C., see Cambronero, J.C., 237

Gyr, K., see Hildebrand, P., 119

Heilig, M., McLeod, S., Koob, G.K. and Britton, K.T., Anxiolytic-like effect of neuropeptide Y (NPY), but not other peptides in an operant conflict test, 61

Helle, K.B., see Aardal, S., 9

Hensen, S.A., see Sellitti, D.F., 257

Hernanz, A., see José Garrido, J., 27

Hildebrand, P., Drewe, J., Luo, H., Ketterer, S., Gyr, K. and Beglinger, C., Role of cholecystokinin in mediating GRP-stimulated gastric, biliary and pancreatic functions in man, 119

Hughes, C.E., see Sellitti, D.F., 257

Imboden, H., see Ambühl, P., 19

Irvine, G.B., see Leung, P.S., 71

Itoh, Z., see Mizumoto, A., 249

Johnston, C.F., see Leung, P.S., 71

José Garrido, J., Arahuetes, R.M., Hernanz, A. and De la Fuente, M., Modulation by neurotensin and neuromedin N of adherence and chemotaxis capacity of murine lymphocytes, 27

Ketterer, S., see Hildebrand, P., 119

Khosla, M.C., see Ambühl, P., 19

Koob, G.K., see Heilig, M., 61

Lanspa, S.J., see O'Harte, F., 139

Lauriano, E.R., see Zaccone, G., 195

Lee, P.C., see Borysewicz, R., 157

Leung, P.S., Shaw, C., Maule, A.G., Thim, L., Johnston, C.F. and Irvine, G.B., The primary structure of neuropeptide F (NPF) from the garden snail, *Helix aspersa*, 71

Lewin, M.J.M., see Linard, C., 219

Licata, A., see Zaccone, G., 195

Linard, C., Reyl-Desmars, F. and Lewin, M.J.M.,

Somatostatin inhibition of phosphoinositides turnover in isolated rat acinar pancreatic cells: interaction with bombesin, 219
Lo Cascio, P., see Zaccone, G., 195
Locatelli, A.S., see Vatta, M.S., 171
López-Sañudo, S. and Arilla, E., Desmethylimipramine pretreatment prevents 6-hydroxydopamine induced somatostatin receptor reduction in the rat hippocampus, 227
Luo, H., see Hildebrand, P., 119
Malaguti, P., see Spampinato, S., 131
Malhotra, R., Singh, L., Eng, J. and Raufman, J.-P., Exendin-4, a new peptide from *Heloderma suspectum* venom, potentiates cholecystokinin-induced amylase release from rat pancreatic acini, 149
Mauceri, A., see Zaccone, G., 195
Maule, A.G., see Leung, P.S., 71
McLeod, S., see Heilig, M., 61
Mei, J. and Erlanson-Albertsson, C., Effect of enterostatin given intravenously and intracerebroventricularly on high-fat feeding in rats, 209
Michael Conlon, J., see O'Harte, F., 139
Mizumoto, A., Ueki, S., Ohtawa, M. and Itoh, Z., Endogenous CCK is not involved in the regulation of interdigestive gastrointestinal and gallbladder motility in conscious dogs, 249
Mokotoff, M., see Borysewicz, R., 157
Nandha, K.A., see Domin, J., 1
Niedermühlbichler, M. and Wiedermann, C.J., Suppression of superoxide release from human monocytes by somatostatin-related peptides, 39
O'Harte, F., David Smith, D., Lanspa, S.J. and Michael Conlon, J., Measurement of T-kinin in rat plasma using a specific radioimmunoassay, 139
Ohtawa, M., see Mizumoto, A., 249
Ottaway, C.A., Insertion and internalization of vasoactive intestinal peptide (VIP) receptors in murine CD4 T lymphocytes, 49
Papouchado, M.L., see Vatta, M.S., 171
Pinski, J., Yano, T., Rekasi, Z., Cai, R.-Z., Radulovic, S. and Schally, A.V., High potency of a new bombesin antagonist (RC-3095) in inhibiting serum gastrin levels; comparison of different routes of administration, 185
Rabkin, S.W., Dynorphin A (1–13) in the brain suppresses epinephrine-induced ventricular premature complexes and ventricular tachyarrhythmias, 95
Radulovic, S., see Pinski, J., 185
Raufman, J.-P., see Malhotra, R., 149
Rekasi, Z., see Pinski, J., 185
Ren, K.J., see Borysewicz, R., 157
Reyl-Desmars, F., see Linard, C., 219
Rivas, F.J., see Cambronero, J.C., 237
Romani, A., see Geppetti, P., 83
Sander, L.D., Circadian influences on feeding-induced changes in ACTH and corticosterone secretion in rats, 109
Schally, A.V., see Pinski, J., 185
Sciarretta, G., see Spampinato, S., 131
Sellitti, D.F., Hughes, C.E., Hensen, S.A. and Vincent, M.M., Secretion of immunoreactive ANF from FRTL-5 rat thyroid cells: regulation by calcium ionophore A23187, 257
Shaw, C., see Leung, P.S., 71
Singh, L., see Malhotra, R., 149
Spampinato, S., Speroni, E., Canossa, M., Sciarretta, G., Malaguti, P. and Ferri, S., Dynorphin B-like immunoreactivity in gastroduodenal biopsy specimens from gallstone patients, 131
Speroni, E., see Spampinato, S., 131
Theodorsson, E., see Geppetti, P., 83
Thim, L., see Leung, P.S., 71
Tramontana, M., see Geppetti, P., 83
Ueki, S., see Mizumoto, A., 249
Vatta, M.S., Papouchado, M.L., Locatelli, A.S., Bianciotti, L.G. and Fernandez, B.E., Effects of atrial natriuretic factor on norepinephrine release in the rat hypothalamus, 171
Vincent, M.M., see Sellitti, D.F., 257
Wiedermann, C.J., see Niedermühlbichler, M., 39
Yano, T., see Pinski, J., 185
Zaccone, G., Bonga, S.E.W., Flik, G., Fasulo, S., Licata, A., Lo Cascio, P., Mauceri, A. and Lauriano, E.R., Localization of calbindin D28K-like immunoreactivity in fish gill: a light microscopic and immunoelectron histochemical study, 195

Regulatory Peptides, 41 (1992) 277–279

© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Key word index

A23187; Atrial natriuretic factor (ANF); Thyroid cell; Calcium ionophore; FRTL-5 cell, 257
ACTH; IL-1; Dexamethasone; Corticosterone; Immunomodulation, 237
Acute phase reactant; Kininogen; Bradykinin; T-kinin; Rat plasma, 139
Adherence; Lymphocyte; Neurotensin; Neuromedin N; Chemotaxis; cAMP; Ca^{2+}, 27
Adrenal; Pituitary; Food intake, 109
Angiotensin II; Inferior olivary nucleus; Microiontophoretic technique; Angiotensin receptor subtype, 19
Angiotensin receptor subtype; Inferior olivary nucleus; Microiontophoretic technique; Angiotensin II, 19
Anxiety; Neuropeptide Y; Conflict test; Rat, 61
Atrial natriuretic factor (ANF); Thyroid cell; Calcium ionophore; A23187; FRTL-5 cell, 257
Atropine methylnitrate; Dynorphin A (1–13); Epinephrine-induced cardiac arrhythmias; Central cholinergic neurotransmitter; Atropine sulfate, 95
Atropine sulfate; Dynorphin A (1–13); Epinephrine-induced cardiac arrhythmias; Central cholinergic neurotransmitter; Atropine methylnitrate, 95
Bombesin; Receptor; Somatostatin; Phosphatidylinositol; Pertussis toxin, 219
Bombesin antagonist; Pulmonary inhalation; Gastrin, 185
Bombesin antagonist; CCK antagonist; Hyperplasia; Pancreas; Stomach, 157
Bradykinin; Kininogen; T-kinin; Acute phase reactant; Rat plasma, 139
Calbindin D28K; Fish gill; Neuroendocrine cell; Immunohistochemistry, 195
Calcium channel blocker; Catecholamine release; Central nervous system; Calcium free medium, 171
Calcium free medium; Catecholamine release; Central nervous system; Calcium channel blocker, 171
Calcium ionophore; Atrial natriuretic factor (ANF); Thyroid cell; A23187; FRTL-5 cell, 257
cAMP; Lymphocyte; Neurotensin; Neuromedin N; Adherence; Chemotaxis; Ca^{2+}, 27
cAMP; Potentiation; Vasoactive intestinal peptide; Enzyme secretion, 149
Capsaicin desensitization; Substance P; Capsaicin-sensitive sensory neuron; High performance liquid chromatography, 83
Capsaicin-sensitive sensory neuron; Substance P; Capsaicin desensitization; High performance liquid chromatography, 83
Ca^{2+}; Lymphocyte; Neurotensin; Neuromedin N; Adherence; Chemotaxis; cAMP, 27
Ca^{2+}; Chromogranin A; N-terminal; Human vasculature; Endothelin-1; Noradrenaline, 9
Catecholamine release; Central nervous system; Calcium free medium; Calcium channel blocker, 171
CCK-8; Pancreatic procolipase; Enterostatin; High-fat feeding; Preference ratio, 209
CCK antagonist; Bombesin antagonist; Hyperplasia; Pancreas; Stomach, 157
CCK-OP; Cholecystokinin; Motilin; L364718; Conscious dog, 249
Central cholinergic neurotransmitter; Dynorphin A (1–13); Epinephrine-induced cardiac arrhythmias; Atropine sulfate; Atropine methylnitrate, 95
Central nervous system; Catecholamine release; Calcium free medium; Calcium channel blocker, 171
Chemotaxis; Lymphocyte; Neurotensin; Neuromedin N; Adherence; cAMP; Ca^{2+}, 27
Chicken; Neuromedin U; Purification; Radioimmunoassay, 1
Cholecystokinin; Motilin; CCK-OP; L364718; Conscious dog, 249
Cholecystokinin receptor antagonism, 119
Chromogranin A; N-terminal; Human vasculature; Ca^{2+}; Endothelin-1; Noradrenaline, 9
Conflict test; Neuropeptide Y; Anxiety; Rat, 61

Conscious dog; Cholecystokinin; Motilin; CCK-OP; L364718, 249
Corticosterone; IL-1; Dexamethasone; ACTH; Immunomodulation, 237
Desmethylimipramine; 6-Hydroxydopamine; Somatostatin receptor; Hippocampus; Rat, 227
Dexamethasone; IL-1; Corticosterone; ACTH; Immunomodulation, 237
Duodenum; Gallstone; Dynorphin B, 131
Dynorphin A (1–13); Epinephrine-induced cardiac arrhythmias; Central cholinergic neurotransmitter; Atropine sulfate; Atropine methylnitrate, 95
Dynorphin B; Gallstone; Duodenum, 131
Endothelin-1; Chromogranin A; N-terminal; Human vasculature; Ca^{2+}; Noradrenaline, 9
Enterostatin; Pancreatic procolipase; High-fat feeding; Preference ratio; CCK-8, 209
Enzyme secretion; cAMP; Potentiation; Vasoactive intestinal peptide, 149
Epinephrine-induced cardiac arrhythmias; Dynorphin A (1–13); Central cholinergic neurotransmitter; Atropine sulfate; Atropine methylnitrate, 95
Fish gill; Neuroendocrine cell; Calbindin D28K; Immunohistochemistry, 195
Food intake; Pituitary; Adrenal, 109
FRTL-5 cell; Atrial natriuretic factor (ANF); Thyroid cell; Calcium ionophore; A23187, 257
Gallstone; Dynorphin B; Duodenum, 131
Gastrin; Bombesin antagonist; Pulmonary inhalation, 185
Helix aspersa; Neuropeptide F; Neuropeptide Y; Primary structure; Molecular evolution, 71
High-fat feeding; Pancreatic procolipase; Enterostatin; Preference ratio; CCK-8, 209
High performance liquid chromatography; Substance P; Capsaicin-sensitive sensory neuron; Capsaicin desensitization, 83
Hippocampus; 6-Hydroxydopamine; Desmethylimipramine; Somatostatin receptor; Rat, 227
Human vasculature; Chromogranin A; N-terminal; Ca^{2+}; Endothelin-1; Noradrenaline, 9
6-Hydroxydopamine; Desmethylimipramine; Somatostatin receptor; Hippocampus; Rat, 227
Hyperplasia; Bombesin antagonist; CCK antagonist; Pancreas; Stomach, 157
IL-1; Dexamethasone; Corticosterone; ACTH; Immunomodulation, 237
Immunohistochemistry; Fish gill; Neuroendocrine cell; Calbindin D28K, 195
Immunomodulation; IL-1; Dexamethasone; Corticosterone; ACTH, 237
Inferior olivary nucleus; Microiontophoretic technique; Angiotensin II; Angiotensin receptor subtype, 19
Kininogen; Bradykinin; T-kinin; Acute phase reactant; Rat plasma, 139
L364718; Cholecystokinin; Motilin; CCK-OP; Conscious dog, 249
Lymphocyte; Neurotensin; Neuromedin N; Adherence; Chemotaxis; cAMP; Ca^{2+}, 27
Microiontophoretic technique; Inferior olivary nucleus; Angiotensin II; Angiotensin receptor subtype, 19
Molecular evolution; Neuropeptide F; *Helix aspersa*; Neuropeptide Y; Primary structure, 71
Monocyte; Octreotide; Neuroimmunomodulation; Sensory neuropeptide; Somatostatin-14; Somatostatin-28; Superoxide, 39
Motilin; Cholecystokinin; CCK-OP; L364718; Conscious dog, 249
Murine lymphocyte; Vasoactive intestinal peptide; Specific binding, 49
Neuroendocrine cell; Fish gill; Calbindin D28K; Immunohistochemistry, 195
Neuroimmunomodulation; Monocyte; Octreotide; Sensory neuropeptide; Somatostatin-14; Somatostatin-28; Superoxide, 39
Neuromedin N; Lymphocyte; Neurotensin; Adherence; Chemotaxis; cAMP; Ca^{2+}, 27
Neuromedin U; Chicken; Purification; Radioimmunoassay, 1
Neuropeptide F; *Helix aspersa*; Neuropeptide Y; Primary structure; Molecular evolution, 71
Neuropeptide Y; Anxiety; Conflict test; Rat, 61
Neuropeptide Y; Neuropeptide F; *Helix aspersa*; Primary structure; Molecular evolution, 71
Neurotensin; Lymphocyte; Neuromedin N; Adherence; Chemotaxis; cAMP; Ca^{2+}, 27
Noradrenaline; Chromogranin A; N-terminal; Human vasculature; Ca^{2+}; Endothelin-1, 9
N-terminal; Chromogranin A; Human vasculature; Ca^{2+}; Endothelin-1; Noradrenaline, 9
Octreotide; Monocyte; Neuroimmunomodulation; Sensory neuropeptide; Somatostatin-14; Somatostatin-28; Superoxide, 39
Pancreas; Bombesin antagonist; CCK antagonist; Hyperplasia; Stomach, 157
Pancreatic procolipase; Enterostatin; High-fat feeding; Preference ratio; CCK-8, 209
Pertussis toxin; Receptor; Somatostatin; Bombesin; Phosphatidylinositol, 219
Phosphatidylinositol; Receptor; Somatostatin; Bombesin; Pertussis toxin, 219
Pituitary; Adrenal; Food intake, 109
Potentiation; cAMP; Vasoactive intestinal peptide; Enzyme secretion, 149

Preference ratio; Pancreatic procolipase; Enterostatin; High-fat feeding; CCK-8, 209
Primary structure; Neuropeptide F; *Helix aspersa*; Neuropeptide Y; Molecular evolution, 71
Pulmonary inhalation; Bombesin antagonist; Gastrin, 185
Purification; Neuromedin U; Chicken; Radioimmunoassay, 1
Radioimmunoassay; Neuromedin U; Chicken; Purification, 1
Rat; Neuropeptide Y; Anxiety; Conflict test, 61
Rat; 6-Hydroxydopamine; Desmethylimipramine; Somatostatin receptor; Hippocampus, 227
Rat plasma; Kininogen; Bradykinin; T-kinin; Acute phase reactant, 139
Receptor; Somatostatin; Bombesin; Phosphatidylinositol; Pertussis toxin, 219
Sensory neuropeptide; Monocyte; Octreotide; Neuroimmunomodulation; Somatostatin-14; Somatostatin-28; Superoxide, 39
Somatostatin; Receptor; Bombesin; Phosphatidylinositol; Pertussis toxin, 219
Somatostatin-14; Monocyte; Octreotide; Neuroimmunomodulation; Sensory neuropeptide; Somatostatin-28; Superoxide, 39
Somatostatin-28; Monocyte; Octreotide; Neuroimmunomodulation; Sensory neuropeptide; Somatostatin-14; Superoxide, 39
Somatostatin receptor; 6-Hydroxydopamine; Desmethylimipramine; Hippocampus; Rat, 227
Specific binding; Vasoactive intestinal peptide; Murine lymphocyte, 49
Stomach; Bombesin antagonist; CCK antagonist; Hyperplasia; Pancreas, 157
Substance P; Capsaicin-sensitive sensory neuron; Capsaicin desensitization; High performance liquid chromatography, 83
Superoxide; Monocyte; Octreotide; Neuroimmunomodulation; Sensory neuropeptide; Somatostatin-14; Somatostatin-28, 39
Thyroid cell; Atrial natriuretic factor (ANF); Calcium ionophore; A23187; FRTL-5 cell, 257
T-kinin; Kininogen; Bradykinin; Acute phase reactant; Rat plasma, 139
Vasoactive intestinal peptide; cAMP; Potentiation; Enzyme secretion, 149
Vasoactive intestinal peptide; Murine lymphocyte; Specific binding, 49